



# CCS RM6308 Core List





Crown  
Commercial  
Service

**B Banner**  
Connected thinking.  
Consolidated supply.


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Monitor Arm	<p>Adjustable Monitor Arm</p> <p>White/Black/Metallic Finish</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-To be available in single, double, triple or quadruple monitor configurations. Aluminium monitor arms to be fitted to work tops as required.</li> <li>-Fixed to desk via clamp mechanism</li> <li>-Arm rotation to allow for monitor position in landscape and portrait format</li> <li>-Monitors to sit as far back on the desk as possible while still being side by side</li> <li>-Monitor arms to be able to move independently of each other and prevent transference of movement or clashing with neighbouring user equipment, with locking mechanism</li> <li>-Minimum weight per arm of 9kg</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> <li>-Cable management</li> </ul>		<p>Arm length: approx. 600mm from centre of arm to centre of monitor</p> <p>Height: approx. 290mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Storage	Tambour Unit End of Desk	<p><b>Tambour Unit - End of Desk</b></p> <p>With or without rigid planter</p> <p>Powder coated white / grey / anthracite / black standard matt finish</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Adjustable levelling feet</li> <li>-Side Tambour Doors with key lock</li> <li>-Planter must be rigid and planter liners to be provided for all planters</li> <li>-Fixings to be provided for back to back units for great stability (to include manufacturers fixing instructions)</li> <li>-All storage units should be within the same design range</li> <li>-Internal components within the storage units to include (but not limited to): plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers, drawer dividers</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Tambour Unit Dimensions: Depth: 450-500mm Height: 720mm (Approx) Width: 800 -1000mm</p> <p>Planter Unit Dimensions: Depth: 450-500mm Height: 150mm Width: 800 -1000mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Storage	Tambour Unit Free standing	<p><b>Tambour Unit - Free Standing</b></p> <p>With or without planter</p> <p>Powder coated white / grey / anthracite / black standard matt finish</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Side Tambour Doors with key lock</li> <li>-Adjustable levelling feet</li> <li>-Fixings to be provided for back to back units for great stability (to include manufacturers fixing instructions).</li> <li>-Planter liners to be provided to all planters</li> <li>-All storage units should be within the same design range</li> <li>-Internal components within the storage units to include (but not limited to): plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers, drawer dividers</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>			<p>Tambour Unit Dimensions: Depth: 450-500mm Height: 1200mm Approx Width: 800 - 1000mm</p> <p>Planter Unit Dimensions: Depth: 450-500mm Height: 150mm Width: 800 -1000mm</p>

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Storage	Tambour Unit Against the wall	<p><b>Tambour Unit - Against the wall</b></p> <p>Powder coated white / grey / anthracite / black standard matt finish</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Side Tambour Doors with key lock</li> <li>-Adjustable levelling feet</li> <li>-Fixings to be provided for back to back units for great stability (to include manufacturers fixing instructions).</li> <li>-All storage units should be within the same design range</li> <li>-Internal components within the storage units to include (but not limited to): <ul style="list-style-type: none"> <li>plain shelves</li> <li>pull-out drawers</li> <li>drawer dividers</li> </ul> </li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Tambour Unit Dimensions:</p> <p>Depth: 450-500mm</p> <p>Height: 1800mm (max)</p> <p>Width: 800 -1000mm</p>





CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Task Chair Mesh Back	<p><b>Fully Ergonomic Task Chair - Mesh Back</b></p> <p>100,000 rubs (Martindale) Manufacturer fabric bands 1-3 Upholstered seat Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Mesh back with Lumbar Support – adjustable lumbar pad (100mm of travel)</li> <li>-Lumbar adjustment dial (50mm of travel)</li> <li>-Adjustable seat slide</li> <li>-Upholstered Combustion Modified High Resilience (CMHR) foam seat base</li> <li>-Maximum weight 23.5 stone / 30 stone options</li> <li>-5 star steel base (60mm)</li> <li>-Adjustable arms with 180 degree pad rotation</li> <li>-Black frame and arms</li> <li>-Synchronous and weight balancing action - with locking capability and/or “comfort dial” to adjust the amount of back tension and recline.</li> <li>-All adjustment mechanisms to be easily accessible</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Adjustable Seat Height: Min 380mm (+/- 5mm) Max 535mm (to comply with HSG57 - Seating at Work document)</p> <p>Adjustable Arm: H: 100mm, W: 35mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Task Chair Foam Back	<p><b>Fully Ergonomic Task Chair - Upholstered Back.</b></p> <p>100,000 rubs (Martindale) Manufacturer fabric bands 1-3 Upholstered seat Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Upholstered back with Lumbar Support – adjustable lumbar pad (100mm of travel)</li> <li>-Adjustable seat slide</li> <li>-Upholstered Combustion Modified High Resilience (CMHR) foam seat base</li> <li>-Maximum weight 23.5 stone / 30 stone options</li> <li>-5 star steel base (60mm)</li> <li>-Adjustable arms with 180 degree pad rotation</li> <li>-Black frame and arms</li> <li>-Synchronous and weight balancing action with locking capability and/or “comfort dial” to adjust the amount of back tension and recline</li> <li>-All adjustment mechanisms to be easily accessible</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Adjustable Seat Height: Min 380mm (+/- 5mm) Max 535mm (to comply with HSG57 - Seating at Work document)</p> <p>Adjustable Arm: H: 100mm, W: 35mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Desking	Fixed Workstation	<p><b>Fixed Workstation</b></p> <p>Top Material Finish: Light Grey RAL 9002 (or equivalent), White, Yellow, Baby Blue, Light Oak MFC to Sustainability requirements - see Framework Specification.</p> <p>Desking Frame: Powder coated white / anthracite / black standard matt finish</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Adjustable levelling feet</li> <li>-To include vertical cable management (vertical cable distribution shall allow for flexible, concealed and protect connection from floor box/grommet to horizontal cable management with segregated distribution)</li> <li>-To include horizontal cable management (1 x upper level cable tray – and 1 x lower level cable tray) 4 Gang UK socket to be included to connect above desking equipment to Cat B interface.</li> <li>-The top horizontal cable tray must have a minimum overall depth of 120mm from underside of desk surface to base of tray, and a clear access from the side of the tray of 80mm.</li> <li>-Cable basket/tray underneath of each bench surface for horizontal cable management</li> <li>-Workstation to allow integration of table top power and with monitor arms</li> <li>-Workstation to allow for integration of acoustic and privacy divider screens</li> <li>-Protective edge-banding</li> <li>-Power Module: See product CCS-13 within this price matrix.</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>	<p>4 gang power in Cable Management per position</p> <p>Desktop Power module</p>		<p>Width: 1200/1400/1600mm Depth: 800mm Height: 730mm with +10mm tolerance (700mm minimum clearance)</p>




CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Desking	Height Adjustable Workstation	<p><b>Height Adjustable Workstation</b></p> <p>Top Material Finish: Light Grey RAL 9002 (or equivalent), White, Yellow, Baby Blue, Light Oak MFC to Sustainability requirements - see Framework Specification.</p> <p>Desking Frame: Powder coated white / anthracite / black standard matt finish</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Frame to coordinate with height adjustable workstation</li> <li>-Adjustable levelling feet</li> <li>-Electronic push pad to adjust the height. (Location and size of operation buttons to be inclusive)</li> <li>-Percentage of Height Adjustable Workstations to Fixed Work Bench (minimum 50%)</li> <li>-To include vertical cable management (vertical cable distribution shall allow for flexible, concealed and protect connection from floor box/grommet to horizontal cable management with segregated distribution)</li> <li>-To include horizontal cable management (1 x upper level cable tray – and 1 x lower level cable tray) 4 Gang UK socket to be included to connect above desking equipment to Cat B interface.</li> <li>-The top horizontal cable tray must have a minimum overall depth of 120mm from underside of desk surface to base of tray, and a clear access from the side of the tray of 80mm.</li> <li>-The lower horizontal cable tray must have a dust cover and an adequately sized aperture to accommodate adequate cables/equipment as per project requirements</li> <li>-Cantilevered bench surface to allow for free movement of user without knee clashes – to include anti clash mechanism <ul style="list-style-type: none"> <li>-Back-to-back module as standard and single unit as required</li> </ul> </li> <li>-Workstation to allow integration of table top power and with monitor arms</li> <li>-Workstation to allow for integration of future privacy and acoustic divider screens <ul style="list-style-type: none"> <li>-Protective edge-banding</li> </ul> </li> <li>-Power Module: See product CCS-13 within this price matrix.</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>	<p>4 gang power in Cable Management per position</p> <p>Desktop Power module</p>		<p>Width: 1200/1400/1600mm Depth: 800mm Height: 650-1250mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Storage	Library Bookshelves	<p><b>Library Bookshelves</b></p> <p>Adjustable shelving</p> <p>MFC (Colourways: From a range of standard colours (see table D1 at the bottom of this price matrix and the GPA Design Guide)) or Timber</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-All storage to be at a maximum height of 1600mm where required in open plan office areas</li> <li>-All storage units should be within the same design range</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Height 1400 x W1000 x D500</p> <p>Height 1600 x W1000 x D500</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	High Wing Back Acoustic Chair	<p><b>High Wing Back Acoustic Chair</b></p> <p>Fully upholstered high wing back acoustic chair            Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>60,000 rubs (Martindale)            Manufacturer fabric band 3</p> <p>Specification Detail:            -Seat height should be appropriate for the selected activity function            -No visible logo or branding tags, buttons, or plates to be used in products</p>	Power option with integrated power module on the side/front of the chair (1x power plug and 2x USB) or pose unit - to be accessible and visible when chair is in use		<p>Arm Height: 650mm            Chair Height: 1110mm            approx            Seat Height: 420-500mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Desking	Laptop Table	<p><b>Laptop Table</b></p> <p>Laptop table for use with soft seating</p> <p>Top Material Finish: MFC and/or HPL</p> <p>Base Material Finish: Metal/powder coated</p> <p>Flat base preferable</p> <p>Specification Detail:</p> <ul style="list-style-type: none"><li>-Base to allow laptop use with soft seating</li><li>-No visible logo or branding tags, buttons, or plates to be used in products</li><li>-Preferred shape to suit laptop use</li></ul>		<p>Height: 650 minimum 750mm maximum Width: 500mm approx Depth: 400mm approx</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Desking	Height Adjustable Laptop Table	<p><b>Height Adjustable Laptop table</b></p> <p>Height Adjustable Laptop table for use with soft seating</p> <p>Top Material Finish: MFC and/or HPL</p> <p>Base Material Finish: Metal/powder coated Flat base preferable</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Base to allow laptop use with soft seating</li> <li>-Gas lift</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> <li>-Preferred shape to suit laptop use</li> </ul>		<p>Height: Adjustable 650mm- 750mm as a minimum Width: 500mm approx Depth: 400mm approx</p>




CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Work Booth (1 person)	<p><b>Work Booth (1 person)</b></p> <p>Acoustic work booth with integrated working height desk for single occupant</p> <p>Finish: Integrated table in Light Oak, White, Yellow, Baby Blue, Stone Grey MFC</p> <p>Fabric Details: Upholstered Manufacturer fabric bands 2 or 3</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Details:</p> <ul style="list-style-type: none"> <li>-Partially enclosed with accessible entrance</li> <li>-Table with power and data desktop access</li> <li>-Option for Height Adjustable Table</li> <li>-Option to install a clamped monitor arm at the back slot of the table top.</li> <li>-Option for a lamp</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>	<p>False 4 gang power in Cable Management per position</p> <p>Desktop Power module</p>		<p>Width: 1200mm</p> <p>Height:</p> <p>1500mm - fixed desk</p> <p>1800mm - height adjustable desk</p> <p>Table height: 730mm (with minimum 700mm clearance)</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Desking	Library Bench (with light)	<p><b>Library Bench (With Light)</b></p> <p>Rectangular library bench with light</p> <p>Top Material Finish: MFC - Dark grey with Light Oak edging</p> <p>Base Material/ Finish: Legs – Light Oak timber in matt standard finish</p> <p>Specification Details:</p> <ul style="list-style-type: none"> <li>-Light to be fitted with on-off controls, located in an easily accessible place.</li> <li>-Light option to be able to direct the light.</li> <li>-Cable management vertical/horizontal to be concealed</li> <li>-Protective edge-banding</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>	<p>4 gang power in Cable Management per position</p> <p>Desktop Power module - to provide 1 no Pandora Unit - 1 for every 2 seat positions</p>		<p>Width: 2400mm or 3600mm Depth: 1650mm Height: 730mm (with 700mm clearance)</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	High Back Lounge Chair	<p><b>High Back Lounge Chair</b></p> <p>Fully upholstered high back lounge chair</p> <p>Material/Finish: 4 Star metal base or 4 leg timber base</p> <p>Fabric Details: Manufacturer fabric band 3, 2 and 1</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Details:</p> <ul style="list-style-type: none"><li>-Fully upholstered CMHR moulded foam</li><li>-Design to be project specific and to add regional accent</li><li>-No visible logo or branding tags, buttons, or plates to be used in products</li></ul>		Seat Height: 380mm minimum, 580mm maximum


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Low Back Lounge Chair	<p><b>Low Back Lounge Chair</b></p> <p>Fully upholstered high back lounge chair (small) 4 Star Base</p> <p>Material/Finish: 4 Star metal base or 4 leg timber base</p> <p>Fabric Details: Manufacturer fabric band 3, 2 and 1</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Details:</p> <ul style="list-style-type: none"> <li>-Fully upholstered CMHR moulded foam</li> <li>-Design to be project specific and to add regional accent</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>			<p>Seat Height: 380mm minimum, 580mm maximum</p>



CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Meeting Chair (with arms)	<p><b>Meeting Chair (With Arms)</b></p> <p>Meeting room chair with 5-star Steel castor base Steel Arms</p> <p>Fabric Details: +60,000 rubs (Martindale) Manufacturer fabric bands 2 or 3 Fully upholstered with stitch detail</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail: -Height adjustable seat -Seat tilt tension and tilt limiter - all adjustment mechanisms to be accessible from the side of the chair only -Fully Upholstered Seat &amp; Back with stitch detail -Arm height not to clash with table setting. -5 star castor base -No visible logo or branding tags, buttons, or plates to be used in products</p>			<p>Seat Width - 460mm Seat Depth - 530mm Arms - 150mm high (see detail)</p>




CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Meeting Chair (without arms)	<p><b>Meeting Chair (Without Arms)</b></p> <p>Meeting room chair with 5-star Steel castor base</p> <p>Fabric Details: +60,000 rubs (Martindale) Manufacturer fabric bands 2 or 3 Fully upholstered with stitch detail</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail: -Height adjustable seat -Seat tilt tension and tilt limiter - all adjustment mechanisms to be accessible from the side of the chair only -Fully Upholstered Seat &amp; Back with stitch detail -5 star castor base -No visible logo or branding tags, buttons, or plates to be used in products</p>			<p>Seat Width - 460mm Seat Depth - 530mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Informal Meeting Chair (without arms)	<p><b>Informal Meeting Chair (Without Arms)</b></p> <p>Fabric Details: Upholstered Seat where applicable or Mono Shell manufacturer specific bands 3, 2 and 1</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Design to be project specific</li> <li>-Timber, steel or plastic legs</li> <li>-Upholstered seat where applicable or a mono shell.</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		Seat Height: 380mm minimum, 580mm maximum


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Informal Meeting Chair (with arms)	<p><b>Informal Meeting Chair (With Arms)</b></p> <p>Fabric Details: Upholstered Seat where applicable or Mono Shell manufacturer specific bands 3, 2 and 1</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Design to be project specific</li> <li>-Timber, steel or plastic legs</li> <li>-Upholstered seat where applicable or a mono shell.</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		Seat Height: 380mm minimum, 580mm maximum


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Soft Seating Sofa	<p><b>Soft Seating - Sofa</b></p> <p>Waiting area upholstered soft seating grouping with integral arms</p> <p>Fabric Details: Manufacturer fabric bands 3, 2 and 1 Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Design to be project specific</li> <li>-Back support will be provided at a height of at least 300mm from seat level</li> <li>-Optional arms at a height of 200mm from the surface of the seat and wall extend from the back support forwards to cover at least 80% of the depth of the seat</li> <li>-Seat foam to be converted polyurethane or manufactured nearest equivalent</li> <li>-2-3 Loose cushions required for lumbar adjustment comfort</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> <li>-Power</li> </ul>	Power option with integrated power module on the side/front of the chair (1x power plug and 2x USB) or pose unit - to be accessible and visible when chair is in use	 	<p>Seat Height: 380mm minimum, 580mm maximum</p> <p>4 seat: W3300 x D800 x H640 SH440</p> <p>3 seat: W2510 x D800 x H640 SH440</p> <p>2 seat: W1800 x D800 x H640 SH440</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Meeting Booth (4 person)	<p><b>Meeting Booth (4 person)</b></p> <p>Open meeting area upholstered booth with integrated table &amp; TV Bracket / Fixings (4 person)</p> <p>Top Material/ Finish: Manufacturer standard colours MFC including White, Yellow, Baby Blue, Stone Grey, Wood</p> <p>Base Material/ Finish: Metal / Chrome / timber legs</p> <p>Fabric Details: Manufacturer fabric bands 3 or 4 Fully upholstered Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Size and configuration to be coordinated per project specific requirements</li> <li>-Fully upholstered CMHR moulded foam or equivalent quality</li> <li>-Gap width between table and seat edge is to be fully accessible to users – minimum 300mm.</li> <li>-Preferable to have a pivoting table to facilitate ingress.</li> <li>-Table edge chamfer for ease of access.</li> <li>-Flat or minimal foot on table leg to avoid trip hazards.</li> <li>-The side access panels should be recesses to allow for an overhang on the seat for inclusive access.</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> <li>-2-3 Loose cushions required for lumbar adjustment comfort</li> </ul>	Accessible and visible Power & AV access on Monitor Screen panel		<p>Seat height: 470mm</p> <p>Table height: 750mm (with 700mm clearance)</p> <p>Total back height: not to exceed 1800mm (4 person)</p>




CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Desking	High Circular Coffee Table	<p><b>High Circular Coffee Table</b></p> <p>Top Material Finish: Manufacturer standard finishes MFC and/or HPL</p> <p>Base Material Finsih: 4 Star Steel Base, or Steel podium base Black or Brushed Steel finish</p> <p>Specification Detail:</p> <ul style="list-style-type: none"><li>-Diameter dimensions as specified</li><li>-No visible logo or branding tags, buttons, or plates to be used in products</li></ul>		<p>Height: 650mm - 730mm maximum</p> <p>Diameter: 600/800/1000mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Media Setting	Media Setting	<p><b>Media Setting</b></p> <p>Informal meeting grouping with media component and option for height adjustable table and TV screen bracket</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-The media unit no higher than 1800mm contains a screen, with the ability to have a height adjustable table that will extend from approximately 700mm to 1200mm to sit/stand for 8 people.</li> <li>-Overall size and configuration to be determined by project specific requirements</li> <li>-Bracket for monitor to be supplied (ensure it does not clash with the height adjustable table)</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>	1 X 4 gang power in Cable Management Desktop Power module - to provide 1 no Pandora Unit		<p>Table Height: 730mm (with 700mm clearance) -1200mm</p> <p>Overall Panel Height 1800mm maximum</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Accessories	Mobile Whiteboard	<p><b>Mobile Whiteboard (Writable/pinnable wall/board on casters)</b></p> <p>Mobile dry wipe whiteboard</p> <p>Frame: Ridgid fully welded steel frame</p> <p>Whiteboard Material Finish: Dual sided dry wipe Magnetic Panels Approx size (1455mm(w) 870mm (h)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Double sided</li> <li>-Mobile (fully lockable caster)</li> <li>-Lightweight</li> <li>-Magnetic ceramic steel writing surface</li> <li>-Integrated pen tray</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Width: 1600mm Depth: 600mm Height: 1800mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Desking	Activity Table	<p><b>Rectangular table</b></p> <p>Top Material/ Finish: Oak MFC with oak edging</p> <p>Base Material/ Finish: Oak legs</p> <p>Specification Detail:</p> <ul style="list-style-type: none"><li>-Central slot required (100mm) for power bank installation (and monitor arms if required)</li><li>-include inset leg if more than one module</li><li>-Cable management tray to be concealed</li><li>-Protective edge-banding</li><li>-No visible logo or branding tags, buttons, or plates to be used in products</li></ul>	<p>4 gang power in Cable Management per position</p> <p>Desktop Power module one per position</p>		<p>Width: 2400 (6 person) 3600mm (8 person) Depth: 1650mm Height: 730mm (with 700mm clearance) Central slot: 100 mm minimum</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Railway Carriage (2 person & 4 person)	<p><b>Informal Meeting / Work Pod</b></p> <p>Railway Carriage - 2 person &amp; 4 person  Colour/Finish: Black Frame, Upholstered Ceiling, Seat and Side panels  Table - Light Oak MFC</p> <p>Frame Option Light Oak MFC  Fabric Details: Manufacturer fabric bands 3 or 4 Fully upholstered</p> <p>Specification Detail:  -2-4 Person Booth with Table - Flat Roof (with Acoustic backing)with back).</p> <ul style="list-style-type: none"> <li>-Lighting : Integrated into ceiling LED downlight or LED stripe..</li> <li>-Power - Indicative only: 1 No. Floor grommet or floor box per carriage. Each floor grommet or floor box contains 2 double socket outlets and 2 USB to be installed on the side panel above the table. No Data required. One 3 pin per position and one USBC per position</li> <li>-Low voltage LED lighting for consistent illumination is supplied on a PIR system with movement sensor.</li> <li>-Modular power sockets are fused and installed flush with the surface to comply with BS1363 .and accessible</li> <li>-Fabric &amp; Foam supplied complies with BS 7176: Fire test to non-domestic seating</li> <li>-Furniture grade MFC or lacquered ply cladding panels are fixed to the external face of the main steel structure.</li> <li>-Upholstered acoustic panels are clipped to the interior surface.</li> </ul>		<p>2000mm wide - both 2 &amp; 4 person  702mm deep - 2 person  1350mm deep - 4 person  2025mm high -both 2 &amp; 4 person</p>





CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Privacy Pod (2 person)	<p><b>Privacy Pod (2 person)</b></p> <p>Self Contained Privacy, 2 persons meeting Pod</p> <p>Colour/Finish: Black Frame, Upholstered Ceiling and Side panels</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Preferable layout to be 1no corner opaque and 1no opposite corner glazed to allow back to back installations.</li> <li>-32DB RATING minimum see note below:</li> <li>-Acoustic rating 37dB with acoustic roof mat.</li> <li>-Upholstered Acoustic ceiling panels - Camira Nexus Chaulk</li> <li>-Heat and smoke detectors - Wireless or wired depending on fire strategy.</li> <li>-Roof / Ceiling option to have opening / tilting roof to allow sprinklers coverage, depending on fire strategy.</li> <li>-Low noise - Air extractor integrated on ceiling</li> <li>-1 No. Floor boxes per carriage. Each floor box contains 2 double socket outlets and 4 RJ45 data outlets.</li> <li>-Option to have provision to install wall mounted screen for streaming from laptop - Bracket as optional for a 27" to 32" screen.</li> <li>-Coloured Fabric acoustic cladding to exterior side panels.</li> <li>-Coloured Fabric cladding with option for white writable board to Interior cladding</li> <li>- No fitted furniture (Loose Furniture will be added)</li> <li>-Horizontal beam lighting</li> <li>-Frame height 2275mm</li> <li>-Power arch with CAT6 power &amp; data panel (12 power &amp; 2 USB data) Data not required - HDMI cable from screen to allow streaming.</li> <li>-Low noise Air extractor control.</li> <li>-LED luminaire lighting system</li> <li>-1 x Active PIR motion/occupancy sensor</li> <li>-Acoustic fully upholstered 1700mm walls - Camira as standard</li> <li>-8mm toughened frameless clear glass walls 10mm Swing sliding door, featuring 3 levels of Part M compliant Dusted Crystal manifestation bands</li> <li>-8mm pivot door with step free access</li> <li>-35mm Black Anodised Aluminium frame</li> <li>-100mm high aluminium extrusion crown as standard</li> <li>-Provision to include 800mm dia. x 650mm height meeting table and 2no Lounge chairs</li> </ul>	<p>1 x Power arch with 1 x CAT6 power &amp; data panel</p> <p>Media Column - USB (A or C), HDMI &amp; Power</p>		3000mm wide 1700mm deep 2275mm high


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Storage	Freestanding Storage Unit	<p><b>Free standing Storage Unit</b></p> <p>including shelving</p> <p>Colour/Finish: Black Metal Frame and Open Plywood shelving Storage under unit to be provided with handleless doors and access to floor fixing Black HPL or similar</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Metal Grid Storage with Base Cupboard.</li> <li>-4 High Grid Storage with open back plywood shelving.</li> <li>-Black planters (metal or plastic containers) to fit within the individual spaces</li> <li>-720mm high base cupboard in black.</li> <li>-Provision to be fixed to the floor for safety.</li> <li>-Modular construction to allow multiples of 800mm to sit side by side</li> </ul>		800mm wide 410mm deep 2317mm high

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Desking	Meeting Table	<p><b>Meeting table</b></p> <p>Top Material/ Finish: Manufacturer standard colours MFC Dark grey / Light Oak / White</p> <p>Base Material/ Finish: Legs – metal powder-coated matt black / light oak / Brushed Steel</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-numbers of module suitable for size of meeting room</li> <li>-Inset legs if more than one module</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>	Power Requirements at desktop with cut-outs for 1no OE Electrics per table module and cable management to floor box		<p>W1600mmX D1600 X H730-740 (with 700mm clearance)</p> <p>W800 X D1100 X H730- 740</p> <p>W1200 X D700 X H730</p> <p>W2200 X D1000 X H730- 740</p> <p>W4000 X D1600 X H730- 740</p> <p>W4000 X D1800 X H730- 740</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Desking	Flip Top Mobile Meeting Table	<p><b>Meeting room foldable mobile table</b></p> <p>Top Material/ Finish: Light Grey or White MFC</p> <p>Base Material/ Finish: Inset metal legs Black or Brushed Steel</p> <p>Hardware Style: Lockable black castors</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Table top leveller mechanism</li> <li>-Table sizes to be confirmed with project specific requirements</li> <li>-Protective edge-banding</li> <li>-Desks have to lock together</li> <li>-Power and data access – refer to Table 1: Power Requirements (Treat as 4 person table for Power Requirements)</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Width: 1200mm 1500mm</p> <p>Depth: 750mm</p> <p>Height: 730mm (with 700mm clearance)</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Meeting Chair (With Arms)	<p><b>Meeting Chair (With Arms)</b></p> <p>Meeting room chair with 5-star Black Steel castor base Black Steel Arms</p> <p>+60,000 rubs (Martindale) Manufacturer fabric bands 2 or 3 Fully upholstered</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Height adjustable seat</li> <li>-Seat tilt tension and tilt limiter - all adjustment mechanisms to be accessible from the side of the chair only</li> <li>-Fully Upholstered Seat &amp; Back</li> <li>-5 star castor base</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Seat Width - 460mm Seat Depth - 530mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Meeting Chair (Without Arms)	<p><b>Meeting Chair (Without Arms)</b></p> <p>Meeting room chair with 5-star Black Steel castor base</p> <p>+60,000 rubs (Martindale) Manufacturer fabric bands 3 or 2</p> <p>Fully upholstered</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Height adjustable seat</li> <li>-Seat tilt tension and tilt limiter - all adjustment mechanisms to be accessible from the side of the chair only</li> <li>-Fully Upholstered Seat &amp; Back</li> <li>-5 star castor base</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Seat Width - 460mm</p> <p>Seat Depth - 530mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Storage	Credenza	<p><b>Credenza</b></p> <p>Low storage unit for equipment</p> <p>Finish: Top to incorporate water/scratch resistant finish MFC and/or HPL manufacturer standard finish to match credenza to meeting room table colour - Light Oak / White / Light Grey / Yellow / Baby Blue</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Internal components within the storage units to include (but not limited to) plain shelves</li> <li>-Optional locking capability</li> <li>-With/without castors option</li> <li>-Project specific AV requirements to be incorporated</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Width: 1500mm Depth: 450-600mm Height: 800mm</p>





CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Stacking Training Chair with Writing Tablet	<p><b>Stacking Training Chair with Writing Tablet</b></p> <p>Chair with integrated writing tablet table and upholstered seat pad and back</p> <p>Fabric Details: Upholstered Seat where applicable or Mono Shell manufacturer specific bands 1, 2 and 3 Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Metal/Powder-coated legs</li> <li>-Minimum stocking 8 high on floor, 20 high on trolley or castor chair</li> <li>-Stackable</li> <li>-Minimum weight capacity of 23 stone</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		Seat Height: 380mm minimum, 580mm maximum

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Business Events Chair (stacking) with arms	<p><b>Business Events Chair (stacking) with arms</b></p> <p>Stacking chair with upholstered seating pad with 4 leg base with arms</p> <p>Fabric Details: Upholstered Seat where applicable or Mono Shell manufacturer specific bands 1, 2 and 3 - Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Mesh back</li> <li>-4 leg steel rod or ski leg frame to be polished or the nearest metal finish available</li> <li>-Linking option</li> <li>-Stackable</li> <li>-Minimum stocking 8 high on floor, 20 high on trolley or castor chair</li> <li>-Incorporate glides or castors at chair base</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Seat Height: 380mm minimum, 580mm maximum</p>

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Business Events Chair (stacking) without arms	<p><b>Business Events Chair (stacking) without arms</b></p> <p>Stacking chair with upholstered seating pad with 4 leg base without arms</p> <p>Fabric Details: Upholstered Seat where applicable or Mono Shell manufacturer specific bands 1, 2 and 3</p> <p>Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Mesh back</li> <li>-4 leg steel rod or ski leg frame to be polished or the nearest metal finish available</li> <li>-Linking option</li> <li>-Stackable</li> <li>-Minimum stocking 8 high on floor, 20 high on trolley or castor chair</li> <li>-Incorporate glides or castors at chair base</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Seat Height: 380mm minimum, 580mm maximum</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Lectern Stand	<p><b>Lectern Stand</b></p> <p>Height adjustable Lectern for single occupant</p> <p>MFC or RAL standard manufacturer colours</p> <p>Specification Details:</p> <ul style="list-style-type: none"> <li>-LED Flex Lamp II</li> <li>-Gooseneck microphone</li> <li>-Mediabox FULL System for uploading files onto desktop screen via USB</li> <li>-Power cable</li> <li>-Choice of RAL colours</li> <li>-Lectern ON/OFF button</li> <li>-Electronic Height adjustment - 770 - 1070mm</li> <li>-15 or 17" touch screen unit on desktop</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> <li>-Soft cover when not in use</li> </ul>		<p>Base Width: 735mm Base Depth: 605mm</p> <p>Table Width: 615mm Table Depth: 435mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Storage	Lockers	<p><b>Lockers</b></p> <p>Personal lockers for staff</p> <p>Colours; Project specific within RAL Standard Colour Range.</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-To be provided with fixing back to wall or fixing to other lockers if back to back</li> <li>-3 locker high and 4 locker high</li> <li>-Individual lockers to have drawers at lowest level</li> <li>-All locker carcasses to be finished in manufacturer standard finish powder coated steel or high pressure laminate - unless project specific use (ie Traffic White)</li> <li>-Individual compartments to be lockable, vertical 10 digit digital system with 4 digit code and factory setting code to be unique to GPA or customer.</li> <li>-Lock to be supplied with master key code or equivalent</li> <li>-Contrasting lock colour to door to be supplied</li> <li>-Doors and drawers to receive recessed handles and to be a mix of colour range for a visual break-up</li> <li>-Doors and drawers to be supplied with colour contrast apertures and sequential numbered inlays</li> <li>-Verify project specific requirements for final locker sizes and configuration</li> <li>-Doors to be capable of receiving applied graphic labelling</li> <li>-Able to accommodate locker caddy (refer to SUNL-15)</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Carcass Height: 1800mm maximum</p> <p>Locker Width: 800mm Locker Depth: 500mm Locker Height: 400mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Storage	Lockers	<p><b>Lockers (Small Personal Storage Units)</b></p> <p>Specification Detail -14 Locker Unit</p> <ul style="list-style-type: none"> <li>-To be provided with fixing back to wall or fixing to other lockers if back to back</li> <li>-Individual lockers to have drawers at lowest level</li> <li>-All locker carcasses to be finished in manufacturer standard finish powder coated steel or high pressure laminate - unless project specific use (ie Traffic White)</li> <li>-Individual compartments to be lockable, vertical 10 digit digital system with 4 digit code and factory setting code to be unique to GPA or customer.</li> <li>-Lock to be supplied with master key code or equivalent</li> <li>-Contrasting lock colour to door to be supplied</li> <li>-Doors and drawers to receive recessed handles and to be a mix of colour range for a visual break-up</li> <li>-Doors and drawers to be supplied with colour contrast apertures and sequential numbered inlays</li> <li>-Verify project specific requirements for final locker sizes and configuration</li> <li>-Doors to be capable of receiving applied graphic labelling</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Carcass Height: 1800mm maximum</p> <p>Locker Width: 800mm Locker Depth: 500mm Locker Height: 200mm (Bottom 2 Lockers - Height: 400mm)</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Storage	Accessible Lockers	<p><b>Accessible Lockers</b></p> <p>Accessible lockers in an integral block.</p> <p>Colours; Project specific within RAL Standard Colour Range.</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Project specific – dependent on location</li> <li>-Accessible lockers will be provided in and around changing, shower and cycle storage areas</li> <li>-Locks will be between 750 mm and 100 mm above floor level and will be easy to use, one-handed, by a person with poor dexterity or limited strength in the hand or arm</li> <li>-Some lockers will be at least 1.2 m high</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Width: 300mm minimum Depth: 600mm maximum</p> <p>Base Set: 400-800mm above finished floor level</p>





CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Daybed	<p><b>Daybed</b></p> <p>Specification Details:</p> <ul style="list-style-type: none"><li>-Heavy duty steel construction with white gloss powder coating</li><li>-Maximum User Weight: 158kg (25st)</li><li>-2" thick foam top with flame retardant upholstery available in a variety of colours</li><li>-Integrated towel roll holder and adjustable back rest providing versatility and user comfort</li><li>-No visible logo or branding tags, buttons, or plates to be used in products</li></ul>			750 x 600 x 1800mm


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Task Chair (with headrest)	<p><b>Fully Ergonomic Task Chair with Headrest</b></p> <p>100,000 rubs (Martindale)  Manufacturer fabric bands 1, 2 or 3  Upholstered seat  From a range of standard colours  Colourways: From a range of standard colours (see tables D1 and E1 at the bottom of this price matrix and the GPA Design Guide)</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Technical fabric mesh back with headrest and adjustable seat slide</li> <li>-Upholstered CMHR foam seat base</li> <li>-Minimum weight capacity of 23.5 stone to suit 95% percentile</li> <li>-Adjustable arms with 180 degree pad rotation</li> <li>-Black frame and arms</li> <li>-Lumbar Support – adjustable lumbar pad (100mm of travel)</li> <li>-Synchronous and weight balancing action with up to 20 degrees of incline <ul style="list-style-type: none"> <li>- with locking capability &amp; “comfort dial” to adjust the amount of back tension and recline.</li> </ul> </li> <li>-All adjustment mechanisms to be accessible from the side of the chair only</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Adjustable Seat Height:  Min 400mm (+/- 5mm)  Max 530mm</p> <p>Adjustable Arm:  H: 100mm, W: 35mm</p>

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Café/Bistro Chair	<p><b>Café/Bistro Chair</b></p> <p>Café space stackable dining chairs</p> <p>Seat: Plastic in Table C1 colour range below Optional upholstered seat pad in Fabric Bands 1, 2 or 3. Base: Mix of Timber Metal legs</p> <p>Specification Details:</p> <ul style="list-style-type: none"> <li>-Steel rod frame to be polished or the nearest metal finish available</li> <li>-Stackable, with capacity of at least 30 chairs on trolley</li> <li>-Design to accommodate storage point for chair trolley</li> <li>-Shell colour to be defined by the Design team and Look &amp; Feel colour palette..</li> <li>-Incorporate glides at chair base</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		Seat height: 450-480mm


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	Cafe/Bistro Chair (tub shell)	<p><b>Cafe/Bistro Chair (Tub Shell)</b></p> <p>Café space timber Mono Plastic shell dining chairs</p> <p>Seat: Plastic in Table C1 colour range below Optional upholstered seat pad in Fabric Bands 1, 2 or 3. Base: Mix of Timber Metal 4 leg or 4 star base</p> <p>Specification Detail: -Plastic Mono shell -Shell colour to be defined by the Design team and Look &amp; Feel colour palette.. -Incorporate glides at chair base -No visible logo or branding tags, buttons, or plates to be used in products</p>		Seat Height: 450-480mm


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Desking	Café Dining Table	<p><b>Café Circular Dining Table</b></p> <p>Top Material/ Finish: Light Grey or Light Oak MFC or manufacturer standard finish</p> <ul style="list-style-type: none"> <li>-25mm MFC Top</li> <li>-Wooden Legs</li> <li>-Power: 2 UK Power and 2 USB A+C</li> <li>-Protective edge-banding</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> <li>-Black Metal Frame</li> </ul>	<p>Power bank flush with table top is required (example Pandora unit 2x UK socket 1x double USB)</p>		<p>Diameter: 1200mm Table top Depth: 25mm Height: 730 - 750mm (with 700mm clearance)</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Desking	Long Dining Table	<p><b>Café Space Table</b></p> <p>Top Material/ Finish: Dark Grey MFC or manufacturer standard finish Oak Edging Suitable to be wipeable and food consumption - Vinyl / soft touch / lino worktop as option</p> <p>Base Material/ Finish: Timber Legs black</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>- Protective finish on timber, for ease of care and wipe ability</li> <li>- No visible logo or branding tags, buttons, or plates to be used in products</li> </ul>		<p>Table Width: 3600mm (typically seats 8) Table Depth: 1200mm Table Height: 730mm (with 700mm clearance)</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Desking	Square Café Table	<p><b>Square Café Bistro Table</b></p> <p>Top Material//Finish: Light Grey, Light Oak or White MFC or manufacturer standard finish.</p> <p>Base Material Finish: 4 star base black powder coated with silicon glides, or a flat, circular base</p> <p>Edge Detail: Square Edge</p> <p>Specification Detail: -Protective edge-banding -No visible logo or branding tags, buttons, or plates to be used in products</p>		<p>Table top thickness: 25mm Width: 600-800mm Depth: 600-800mm Height: 730 - 750mm (with 700mm clearance)</p>




CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Desking	Circular Café Table	<p><b>Circular Café Bistro Table</b></p> <p>Top Material/Finish: Light Grey or Light Oak or White MFC or manufacturer standard finish.</p> <p>Base Material Finish: 4 star base black powder coated with silicon glides, or a flat, circular base</p> <p>Specification Detail: -Protective edge-banding -No visible logo or branding tags, buttons, or plates to be used in products</p>			<p>Table top thickness: 25mm Height: 730mm (with 700mm clearance) Circular Diameter: 600-800mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Storage	Z-Type Locker	<p><b>Z-Type Locker (2 lockers per unit)</b></p> <ul style="list-style-type: none"><li>-All locker carcasses to be in finished manufacturer standard powder coated steel or high pressure laminate in light grey.</li><li>-Doors to receive recessed handles. With 3 swing doors and 1 top access drawer at bottom.</li><li>-Lockers to be located in built-in niches where possible. Individual compartments to be lockable, digital system with master key only.</li><li>-Verify project specific program requirements for final locker sizes and configuration.</li><li>-Doors to be capable of receiving applied permanent, large scale graphic labelling.</li></ul>		400mm width, manufacturers standard height and depth

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Storage	Team Storage Units SH (Drawers)	<p><b>3 Drawer Side Filer</b></p> <ul style="list-style-type: none"> <li>- SH Closed Team Storage Unites with Drawers.</li> <li>- Powdercoated metal to match the colour finish of desking frame.</li> <li>- All storage units should be within the same design range. Price with plain shelves.</li> <li>- Internal components within the storage units able to include (but not limited to) plain shelves, combination shelves, pull-out shelves, slotted shelves, lateral rails, lateral shelves, pull-out filing frames, pull-out drawers, drawer dividers and recycling bins.</li> </ul>		Approx dimensions W800 x D450- 500mm X H1000mm


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	High Stool (With Arms)	<p><b>High stool with back rest (with arms)</b></p> <p>Dimensions: 600-650mm  Seat: Plastic, timber shell or upholstered  Base: Metal/timber legs  Fabric: 60,000 rubs (Martindale)  Manufacturer fabric bands 3, or below  Colourways: Table C1 colour range below.</p> <p>Specification Detail:  -If metal base, steel rod frame to be polished or the nearest  metal finish available  -Incorporate glides at chair base  -With arms  -No visible logo or branding tags, buttons, or plates to be used  in products</p>		600-650mm


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Seating	High Stool (Without Arms)	<p><b>High stool with back rest (without arms)</b></p> <p>Dimensions: 600-650mm            Seat: Plastic, timber shell or upholstered            Base: Metal/timber legs            Fabric: 60,000 rubs (Martindale)            Manufacturer fabric bands 3, or below            Colourways: Table C1 colour range below.</p> <p>Specification Detail:            -If metal base, steel rod frame to be polished or the nearest            metal finish available            -Incorporate glides at chair base            -Without arms            -No visible logo or branding tags, buttons, or plates to be used            in products</p>		600-650mm


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Chair Cushion	<p><b>Cushion</b></p> <p>-Cushion with removable cushion cover and stain resistant machine washable fabric. -Manufacturer's fabric bands 2 or 3.</p>		W600mm X H400mm


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Desking	Outdoor Table	<p><b>Outdoor Table</b></p> <ul style="list-style-type: none"><li>-Heavy use commercial grade outdoor furniture.</li><li>-Timber top with powder coated black base.</li><li>-24/7 365 days a year weatherproof; capable of tethering to terrace.</li><li>-Should not be less than 10 kgs.</li><li>-Project specific</li></ul>		W1800 x D750 x H750mm





CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Outdoor Bench Seat	<p><b>Outdoor Bench Seat</b></p> <ul style="list-style-type: none"><li>-Outdoor banquette seating.</li><li>-Heavy use commercial grade outdoor furniture.</li><li>-Powder coated solid aluminium.</li><li>-24/7 365 days a year weatherproof; capable of tethering to terrace.</li><li>-Project specific</li></ul>		W1800 x D450 x SH450mm


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Umbrella Stand - Reception	<p><b>Umbrella Stand</b></p> <ul style="list-style-type: none"> <li>-Open umbrella stand with drip tray at bottom to hold standard and telescopic umbrellas.</li> <li>-Standard colour powder coated metal finish.</li> </ul>		

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Storage	Post Room Sorting Table and Pigeon Holes	<p><b>Post Room Racks (to include table)</b></p> <ul style="list-style-type: none"> <li>-As per project requirement: generically, pigeon holes, work surface/hanging with A3 size dividers in metal mesh on steel structure.</li> <li>-Variable height to accommodate parcels.</li> <li>-Wire baskets to accommodate large parcels.</li> <li>-To accommodate min A3.</li> <li>-White frame and white shelves.</li> </ul>		Site Specific Dims Bench 1800L X 750W X 750H Pigeon Holes: 48 compartments - Manufacturers Standard dims

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Storage	Storage Room Racking	<b>Storage Racking</b>  -Galvanized metal frame with ply shelves.		W1000 X D500 X H2100


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Visual - Please note: Images provided are representative but not exact to the requirement	Dimensions
Accessories	Equipment Trolley	<p><b>Equipment Trolley</b></p> <ul style="list-style-type: none"> <li>-A compact industrial trolley with 90mm raised sides on three sides running on 4 castors with rubber tyres of 125mm diameter.</li> <li>-Capacity (kg): 200.</li> <li>-Castors/wheels (mm): 125 roller bearing, rubber tyre, all swivel.</li> <li>-No. Of shelves: 2.</li> <li>-Standard black metal finish.</li> </ul>		Manufacturers Standard (Approx. 750x550x950h)


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Planter	<p><b>Planters</b></p> <p>-Freestanding Planer -Round -Fiberglass in standard colour.</p>		D500 X H750


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Desk Lamp	<b>Reception Desk Lamp</b> - Reception desk lamp with textile shade and a standard finish powder coated metal base.		Manufacturer's standard dimensions


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Locker Caddies	<p><b>Locker Caddies with Strap</b></p> <p>-Locker caddies with textile strap, as per product's standard finish Caddie to fit into standard personal locker.</p>		<p>Manufacturer's standard dimensions - To fit within standard personal locker</p>





CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	Power Options	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Desk Lamp	<p><b>Desk Lamp</b></p> <ul style="list-style-type: none"><li>-Led desk lamp</li><li>• Four modes with adjustable brightness control<ul style="list-style-type: none"><li>- Study 6500K</li><li>- Reading 5000K</li><li>- Relax 4000K</li><li>- Sleep 3000K</li></ul></li><li>• Fitted with 3000-6500K LED</li></ul>	Integral 5V USB charge port		


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Drying Rack	<b>Racking For Drying Rooms</b> -Clothes Drying Rack -Available with and without power (heated) -Cool grey finish		W680 x D 730 x H 1440


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Wall Mounted Key Storage	<b>Wall Mounted Key Storage</b> <ul style="list-style-type: none"><li>- Manufacturers Standard mid tone grey</li><li>- Digi lock</li><li>- Storage to hold 100 keys</li></ul>		

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Perspex Signage Stand	<p><b>Perspex Signage Stand</b></p> <p>-Clear acrylic A4 desktop poster holders are suitable to display a poster or an advertisement between 2 sheets of acrylic.</p>		H292 x W236 x D96


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Locker Caddies	<p><b>Locker Caddies</b></p> <p>-Locker caddies as per product's standard finish Caddie to fit into standard personal locker.</p>		Manufacturer's standard dimensions - To fit within standard personal locker


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Magnetic Pen Holder	<p><b>Magnetic Pen Holder</b></p> <p>Wire metal basket in standard finish with strong magnet holder at least 4 white board pens</p>		Manufacturer's standard dimensions


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Magnetic Whiteboard Rubber	<b>Magnetic Whiteboard Rubber</b> -Dry Erase White Board Foam Cleaner Rubber for Dry Wipe Pens and Markers -Strong Magnet Sticks, standard colour		Manufacturer's standard dimensions


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Wooden Coat Hangers	<p><b>Wooden Coat Hangers</b></p> <p>-Strong Natural Wood Wooden Coat Hangers with Round Trousers Bar and Shoulder Notches. -Swivel Chrome hook with rounded heads</p>		Manufacturer's standard dimensions





CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	USB Fan	<b>USB Desk Fan</b> -Mini Portable Low Noise Table Cooling Fan with Twin Turbo Blades Standard finish - white		Manufacturer's standard dimensions


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Mobile Room Divider	<b>Mobile Acoustic Divider</b> -Powder coated metal frame in white (9010) -Screen in Band 3 fabric in A1 colours -with castors		1500mm or 1800mm High x 320mm D x 1490mm L

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Storage	Lockable Pedestal / Tool Storage	<b>Lockable Pedestal / Tool Storage</b> <ul style="list-style-type: none"> <li>-One piece pressed steel body</li> <li>-18mm steel top</li> <li>-2 box drawers, 1 file drawer</li> <li>-Key locking</li> <li>-Recessed side pulls</li> <li>-Pen tray and file bar</li> <li>-Mobile castors, 5th anti tilt castor</li> </ul>		391W x 565D x 605H

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Task Chair Mesh Back (Home Working)	<p><b>Task Chair - Mesh Back (Home Working)</b></p> <p>Operator Task chair. Mesh back with adjustable arms and seat slide. 5 star base with castors. Height adjustable arm. Adjustable lumbar support. Synchronous Tilting Seat &amp; Back. Plain Camira Xtreme Fabric (or equivalent). Colour: Black. Compliant for Home Working.</p>		


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Task Chair Mesh Back (Home Working)	<p><b>Fully Ergonomic Task Chair - Mesh Back (Home Working)</b></p> <p>100,000 rubs (Martindale) Manufacturer fabric bands 1-3 Upholstered seat - Black</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Mesh back with Lumbar Support – adjustable lumbar pad (100mm of travel)</li> <li>-Lumbar adjustment dial (50mm of travel)</li> <li>-Adjustable seat slide</li> <li>-Upholstered Combustion Modified High Resilience (CMHR) foam seat base</li> <li>-Maximum weight 23.5 stone / 30 stone options</li> <li>-5 star steel base (60mm)</li> <li>-Adjustable arms with 180 degree pad rotation</li> <li>-Black frame and arms</li> <li>-Synchronous and weight balancing action - with locking capability or “comfort dial” to adjust the amount of back tension and recline.</li> <li>-All adjustment mechanisms to be easily accessible</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> <li>-Compliant for Home Working.</li> </ul>		<p>Adjustable Seat Height: Min 380mm (+/- 5mm) Max 535mm (to comply with HSG57 - Seating at Work document)</p> <p>Adjustable Arm: H: 100mm, W: 35mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Task Chair Foam Back (Home Working)	<p><b>Fully Ergonomic Task Chair - Upholstered Back (Home Working)</b></p> <p>100,000 rubs (Martindale) Manufacturer fabric bands 1-3 Upholstered seat - Choice of colours from suppliers range</p> <p>Specification Detail:</p> <ul style="list-style-type: none"> <li>-Upholstered back with Lumbar Support – adjustable lumbar pad (100mm of travel)</li> <li>-Adjustable seat slide</li> <li>-Upholstered Combustion Modified High Resilience (CMHR) foam seat base</li> <li>-Maximum weight 23.5 stone / 30 stone options</li> <li>-5 star steel base (60mm)</li> <li>-Adjustable arms with 180 degree pad rotation</li> <li>-Black frame and arms</li> <li>-Synchronous and weight balancing action with locking capability or “comfort dial” to adjust the amount of back tension and recline</li> <li>-All adjustment mechanisms to be easily accessible</li> <li>-No visible logo or branding tags, buttons, or plates to be used in products</li> <li>-Compliant for Home Working.</li> </ul>		<p>Adjustable Seat Height: Min 380mm (+/- 5mm) Max 535mm (to comply with HSG57 - Seating at Work document)</p> <p>Adjustable Arm: H: 100mm, W: 35mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Desking	Workstation / Desk (Home Working)	<p><b>Workstation / Desk (Home Working)</b></p> <p>Straight single desk, traditional rectangular shape, 25mm thick desktop surface, cantilever dual leg, adjustable feet, cable management ports, available in suppliers standard finish options. Compliant for Home Working.</p>		<p>W 800mm x D 600mm x H 730mm</p> <p>W 1000mm x D 600mm x H 730mm</p> <p>W 1200mm x D 600mm x H 730mm</p>


CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Foot/Leg/Arm Rest	<p><b>Footrest</b></p> <ul style="list-style-type: none"> <li>- Tilts (0° to 20°) to provide the most comfortable angle.</li> <li>- Made from high impact polystyrene or similar durable material</li> <li>- Non Slip surface enhances overall stability.</li> </ul>		<ul style="list-style-type: none"> <li>- Large platform: 450mm x 350mm. Min</li> </ul>





CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Specialist Chair	<p><b>Specialist High Back Chair</b></p> <p>Complete with adjustable lumbar straps, probax sophisticated foam based seating solution, to take weight from 9 - 23 stone, fitted with multi-functional T arms and fully synchronised mechanism. Plain Camira Xtreme Fabric (or equivalent) available in a choice of fabric colour</p>		420-550h x 500w x 460d

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Specialist Chair	<p><b>Specialist High Back 24hr Chair</b></p> <p>in 24/7 fabric with headrest, with pretensioned lumbar support, adjustable headrest, fitted with heavy duty height adjustable arms, strengthened aluminium base and castors with fully synchronised mechanism. To take weight from 9 - 23 stone. Plain Camira Xtreme Fabric (or equivalent) available in a choice of fabric colour.</p>		430-560h x 500w x 460d

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Specialist Chair	<p><b>Specialist Extra High Back Chair</b></p> <p>Complete with adjustable lumbar straps, probax sophisticated foam based seating solution, fitted with multi-functional T arms, fully synchronised mechanism. To take weight from 9 - 23 stone. Plain Camira Xtreme Fabric (or equivalent) available in a choice of fabric colour</p>		420-550h x 500w x 460d

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Specialist Chair	<p><b>Specialist Back Chair</b></p> <p>Complete with headrest, lumbar support, extra high back, weight upto 19 stone, seat slide, black base and fully synchronised mechanism. Plain Camira Xtreme Fabric (or equivalent) available in a choice of fabric colour</p>		460-540h x 510w x 485d

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Seating	Bariatric Visitors Chair	<p><b>Bariatric visitors chair.</b></p> <p>Designed for users up to 50 stone. Buyer(s) choice of vinyl or fabric bands. Fabric upholstery. High backrest Metal frame Vinyl</p> <p>Fabric bands 1, 1+ (or equivalent - as a guide Camira Urban Square is Fabric Band 1+ has been provided for Band 1+ fabric) 2 and 3</p>		<p>Dimensions</p> <ul style="list-style-type: none"> <li>• Width: 625mm</li> <li>• Depth: 735mm</li> <li>• Height: 990mm</li> <li>• Seat Height: 475mm</li> </ul>

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Desking	Curved Desk	<p><b>Curved Workstation</b></p> <p>Left Hand and Right Hand Options  25mm thick MFC desktop with 2mm edge banding  80mm dual cable management ports  Cantilever desk with double upright steel legs  Finish: Beech, Light Oak, White  Height adjustable feet up to 10mm  Leg Colour: Silver / white  Including modesty panel</p>		<p>Dimensions (WxDxH): 1600x600-800x730mm with +10mm tolerance (700mm minimum clearance)</p> <p>Dimensions (WxDxH): 1400x600-800x730mm with +10mm tolerance (700mm minimum clearance)</p>

CCS Product / Service Level Group Level 1	CCS Product / Service Level Group Level 2	Product Description	<u>Visual - Please note: Images provided are representative but not exact to the requirement</u>	Dimensions
Accessories	Power Module	<p><b>Power Module</b></p> <p>Manufacturer standard finish: socket. Workstation top fixing bracket: clamp bracket. 2x power plug and 2x usb with fast charge power. White encasing with grey fascia</p>	IMAGE COMING SOON	